Records

David H. Ellis, Joanna A. Taylor, Claire M. Mirande, Julia A. Langenberg, Marianne Wellington, B. H. Powell, and Janet L. McMillen



undamental to good management of a captive flock is keeping detailed records of important life history events and genealogy. The knowledge of family relationships is essential to genetic management in long-term captive breeding programs. Record keeping systems should organize and store this information in an easily accessible format. This allows evaluation of current and historical management practices. Standardization of data collection and reporting between centers can increase effective sample size and simplify data analysis.

Crane record keeping systems have been evolving at Patuxent since 1966 and at ICF since 1974 (Ellis et al. 1991). A detailed description of Patuxent's manual (non-computerized) system is available in published form (Ellis et al. 1991) and examples of the most recent data forms are available from the authors. Herein we outline the information that we consider essential for the long-term management of a captive crane colony. We also include information that will be helpful for some collections involved with more specialized uses. Our presentation is of a manual system (Fig. 10.1) organized to allow for limited redundancy while promoting ready access to each form. We have included Patuxent's form sheets (Figs. 10.2-10.13) and information cells (IC's) to provide useful information from other systems (cited later) and our own observations.

ARKS and Other Computerized Records Systems

The need for a complex computerized records system for general use by many institutions was identified by the Committee on Laboratory Animal Records (1979). To facilitate the keeping of good records on animal colonies, several systems for efficiently maintaining specimen inventory, health, productivity, and vital records have appeared (Brown 1975; Seal and Makey 1975). Most widely used in the avicultural community

is the computerized International Species Information System (ISIS) designed to promote uniform reporting of basic demographic information for individual specimens throughout the network of subscribing institutions (Seal et al. 1976, 1977). With over 460 institutions participating (1995), ISIS is rapidly becoming the most common animal record keeping system worldwide.

Animal Record Keeping SystemIII(ARKSIII) is the computersoftware provided to ISIS participants (utilizing an IBM compatible microcomputer with at least 512K RAM and a hard disk with a minimum of 10 megabytes). ARKSIII enables maintenance of accurate up-to-date records. It is also user friendly. The ARKSIII system provides useful summary reports and statistics on current inventory, births, deaths, and transfers. Details of events for individual animals are not included, so it is often desirable to augment the system with more detailed records on reproduction, behavior, etc.

The inventory of a zoological facility is easily edited and checked using the ARKS III program. By merely selecting the ISIS report function and inserting a disk, the data can be transcribed onto the disk and made ready formailing to ISIS or other institutions. This procedure allows for a regularly updated international inventory of all individuals of any species (or other taxon) for all member institutions. From this information, ISIS produces valuable taxon reports summarizing basic genetic and demographic information. Institutions can also easily provided is kette copies of an individual animal's record, allowing efficient transfer of information when an animal is shipped.

Information entered for each specimen is coded for easy retrieval of various reports. ARKS III is currently able to provide 12 reports which are useful for in-house management. They are as follows: Collection inventory; Specimen report; Taxon report; Transaction reports; Enclosure log; Reproductive history; Sibling tables; Pedigree (for animals within the institution); Inbreeding (local); Age pyramid; Fecundity and Mortality report; and International Zoo Yearbook (IZY) report.

ISIS has produced three other programs which aid in record keeping and data retrieval. MedARKS software provides medical records and reports for anesthesia, parasitology, clinical pathology, serum and tissue banking, text for clinical notes, and medication and vaccination records. There is flexibility in designing additional in-house modules. A pathology module is under development. MedARKS is a sufficiently complete system for medical records for a crane collection and is presently used that way at ICF.

SPARKS software enables coordinators of breeding programs to develop individual species studbooks and facilitates the management of breeding programs through genetic and demographic analyses and reports.

EGGS software, an egg log database, is currently under development. It will enable the complex reporting required for the management of a colony of breeding cranes. Currently functioning as relational databases, both MedARKS and EGGS cannot perform without up-to-date records in ARKS III.

Other computerized records systems are also available which can accommodate detailed information on productivity, health, and many life history events (e.g., Sciabbarrasi and London 1974) and can be used for management of veterinary data (e.g., Castleberry et al. 1966; SNOMED 1976, 1977).

The Patuxent Records System

The Patuxent records system is presented schematically in Fig. 10.1. In designing records, each form is given a descriptive title and is assigned a letter which is referred to in the text. Using the alphabetical designators, that figure serves as an index to the text.

The crane colonies at Patuxent and ICF are characterized by few species and many breeding adults. The breeding birds in our collections are often endangered species or subspecies. Because of the need to closely monitor all pertinent aspects of growth and productivity for each individual, other computerized records systems presently available do not fulfill all of these needs.

Below, we describe a manual system designed at Patuxent to record the detailed information we require for each bird. We will also provide some details of the ICF system where it differs significantly from the Patuxent system. The system can also be modified for use with smaller collections and for colonies of other

avian species. We provide details on the use of the system including filing instructions and a table of appropriate responses for a sample of life history events. We indicate, for example, which records are created or modified when an egg is laid, a chick hatches, etc. The system is designed to allow for limited redundancy, for ease in manual filing and retrieval, and for ease in conversion to automated processing. Portions of the manual system have been automated in DOS and require an IBM compatible computer (minimum capacity 286) with 640K RAM. The automation process is continuing.

In designing the records listed on Fig. 10.1, we followed several conventions. First, to limit redundancy and for ease in record retrieval, whenever possible, use the individual identification number (ID, which also codes the leg band number in the Patuxent collection) as an index to all records where the specimen appears as an individual. In Patuxent's system, the ID also indicates the hatch year, so records filed by ID are also in chronological order. We recommend placing the year, taxon, and ID along the top or in the upper right corner of each form sheet. To avoid confusion in reporting reproductive success, we count all chicks reaching 70 days of age (hatch day is day 0) as fledged. Finally, we reserve a column on many forms for the initials (or name) of the person recording each entry. In some countries, this last provision is required by law for medical records.

In Fig. 10.1, the records are arranged from left to right chronologically by life history events. Individual and pair records are near the top followed by daily working records, summary records, planning records, and visual aids. Most of the records contain information about individual birds. Some, however, give readings from machines, and one, the Annual Time Line, provides a visual display of all regularly scheduled husbandry activities and the general phenology of the breeding season. Most of the records follow a highly structured format; an exception is the Daily Log. In all, 40 to 45 records and aids are treated in the narrative.

Individual and Pair Records

Individual File. A file, maintained for each adult crane, is created at fledging (70 days) when a Rearing Record (B, C) is closed and an Individual Log (R) is created. The file serves as a folder for all pertinent records on an individual. Records included in the file are the Individual Record (L), the Individual Log (R),




Fig. 10.1. Schematic of records system.

the Rearing Records (B, C), and the Genealogical Summary (Y). At Patuxent when an individual dies, all Medical Records (the Medical Record [J], the Physical Examination Record [K], and the Necropsy Record [I]) are transferred to the Individual File which is then transferred to the Mortality File. If an individual is transferred to another institution, all of the above records including breeding records are copied and transferred with the crane. The original file is then filed by taxon and ID, with files of other dispersed birds.

A. EGG CARD. An Egg Card (Fig. 10.2) records all events from laying to hatching. The Egg Card is also used to record weight changes and to plot these against a normal weight loss curve so adjustments can be made in the incubation conditions. Hatching events are recorded on a separate Chick Hatching Record. Information recorded includes strength of calls and movements, and times of pip, rotation, and emergence. Abnormalities in position, egg waste, or the hatched chick are also noted. It is important to record the chick's ID number, tattoo, or name for reference on the Egg Card. Egg Cards are filed by year, taxon, and dam ID.

TAXON: FSHC DAM ID: 05-83035 YEAR: 1994 EGG NO: 2 DATE LAID: 02/24 PEN: Y-44 TIME FOUND: 0715 FOUND BY: JMN FERTILITY: F IF UNK HATCHING DATE EMBRYO COND .: ED MD LD PROJECTED: 03/26 DATE EXAMINED: 03/04 ACTUAL: METHOD: CANDLED CHICK ID: 05-94002 **EGG TRANSFERS** COMMENTS (WEIGHT) DATE LOC. TO LOC. Y-44 to Petersime B 02/28 Petersime B to R12 R12 to Petersime B 03/10 03/24 EGG ID Y44 #2 YEAR 1994 **TAXON** Florida SHC Initials Date **Hatching Comments Time** 2130 Star pipped. Moved to Hatcher A 0740 JΤ <u>Hole pip.</u> Chick hatching; peeping strongly 1630 MSE 03/26 0700 Sprayed umbilicus with Hatched. KOM <u>Betadine</u> CHICK ID 05-94002

B. Hand-Reared Chick: Daily Log. Handreared chicks are weighed and inspected regularly. This record (Fig. 10.3), a running log on the progress of each chick through fledging, is posted on the door of the chick's pen. Weight gain is emphasized in this record because toe and leg deformities frequently result when growth is too rapid (Carpenter 1977, 1986). Data on physical condition, medical treatments, behavior, food consumption, hydration, socialization with other birds, and weight are recorded. Weight is also plotted against a normal weight change curve for the species and is used to decide if food withholding is necessary to decrease the likelihood of deformities. Once a chick has fledged, this record is transferred to the Individual File. Duplicate records may also be grouped by taxon and filed by year.

C. Parent Reared Chick: Daily Log. For many chicks reared by their own or foster parents, this record (Fig. 10.3) provides a running list of examinations, medical treatments, and behavioral observations through fledging. X's in the rows and columns of the form indicate the normal schedule for exams, treatments, and medications. Once the chick has

fledged, this record is transferred to the Individual File which is filed by taxon and ID. These records may also be grouped and filed by year.

D. Pair History: Behavior. For some pairs, especially those of endangered species, detailed behavioral notes are made throughout the breeding season. As a minimum, a running log should be kept indicating the degree to which a pair behaves as a social unit.

Included are annual notes on the general frequency of unison calling (Archibald 1976), the distance routinely maintained between birds, the presence or absence of key social and agonistic displays (Ellis et al. 1996) that indicate compatibility of mates, and peculiarities useful in signalling change in compatibility. Other behavior patterns useful in evaluating a pair are discussed in Chapter 6.

Fig. 10.2. Two sides of the Egg Card, Form A.

	HAND-REARED CHICK: DAILY	LOG: YEA	Pg. <u>1</u>
TAXON Miss	issippi SHC ID 03-94070		BAND COLOR/ID Green 70
DATE HATCH	ED_05/31/94 LOCATIONS_CCB-4		ORIGIN LFP 1 #1
Date Age 5/31 0 6/1 1	2000 113 .11 cc Gentocin. Mov 0825 110 Looks good. Worked w response. Ate a litt	<u>ith mount</u> le.	mments B. Betadine on umbilicus. ted head (in costume). Good KOM KOM
		CHICK:DAI	ILY LOG (SIDE 1): YEAR 1994 TAXON <u>WHOOPING CRANE</u> ID 02-94060
	P. Meds/Treatme		
	Date Age Wt. x n o n Other (d) (g) a t m a Treat m t * * *		
	6/12 0 X X X 6/13 1 X117 Xy Xy 3cc 1 6/14 2 X120 Xy Xy 3cc 1 6/15 3 X129 Xy Xy 3cc 1 6/16 4 7138 7y 3cc 1	RS	Sprayed umbilicus. Administered .12cc Gent. Dehydrated. Administered .12cc Gentacin
	6/1/ 5 6/18 6 X193 XV XV 6/19 7 6/20 8		PARENT-REARED CHICK:DAILY LOG (SIDE 2): YEAR 1994 TAXON WHOOPING CRANE 10 02-94060 Pen B-23 Date Hatched 06/12/94
	6/21 9 X287 Xv 6/22 10	X yes	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
	6/28 16 6/29 17 6/30 18 X770 Xy Xy 7/01 19 7/02 20 7/03 21	Xy(-)	7/24 44 7/25 45
	7/04 22 7/05 23		7/26 46 2290(on day 39) Looks good 7/27 47 3010 Xy 2290(on day 39) Looks good
	7/06 24 7/07 25 1310 Xy Xy 7/08 26 7/09 27	X yes	7/29 49
	7/10 28 7/11 29 1560 7/12 30 7/13 31		8/02 53 3.3k Xy Xy X no 3010(on day 47) wing check 6cm blood feathers 8/03 54 8/04 55 8/04 55
	7/14/32 1720 Xy Xy 7/15/33 7/16/34	X	8/05 56 8/06 57 8/07 58 8/08 59
III	7/17 35 7/18 36 7/19 37		8/09 60 3.5k Xy wing check 4cm blood feathers 8/10 61 8/11 62
	7/20 38 Xy Xy Xy	X	8/12 63 8/13 64
	*Special drugs or prophylactic tr	eatments	
,			8/17 68 8/18 69 69 69 69 69 69 69 6
	::		*Special drugs or prophylactic treatments as prescribed by veterinarian.

Fig. 10.3. Chick rearing records, Forms B and C.

This form should include details of pair formation. For example, the record should indicate whether the birds were removed from a flock as a result of naturally choosing each other as mates, or whether the pair resulted from penning a male and female side by side until favorable behavior was observed. Details of pen numbers and duration of stay should be indicated here. This form is filed by taxon and male ID. Pair histories of extant pairs are filed separately from records of former pairs.

E AND F. PAIR HISTORY: INCUBATION AND

REARING. These forms (Fig. 10.4) provide a year-by-year evaluation of a pair's performance in incubation and chick rearing for the duration of the pair's existence. File by taxon and male ID.

G. SIRE/DAM ARTIFICIAL INSEMINATION RECORD. A detailed record (Fig. 10.4) is made for each bird involved in the AI program. This form is used to evaluate responses to AI and to provide the raw data for investigating topics such as timing of semen




Fig. 10.4. Some breeding records, Forms E-G.

production, synchrony of mates, and suitability of AI techniques and paternity. Data is recorded for responses to AI, semen quality and quantity, and seasonal changes in the distance between pubic bones and condition of cloaca, both of which are indicators of the approach of egg laying (see Gee 1983 and Chapter llA). Sire/Dam AI Records are filed by year,

taxon, and ID. The original copies of these forms, arranged by pen number, are included in a loose-leaf notebook that serves as an annual field log for AI.

H. SIRE/DAM REPRODUCTIVE RECORD. The Sire/Dam Reproductive Record (Fig. 10.5) provides a cumulative list, egg by egg, of the reproductive performance of each breeding pair. Not only can fertility

		CIDE/DAM	REPRODUCTIVE RE	CORD	
		SIRE/UMM		- COND	PEN <u>B-11</u> DAM ID <u>02-85002</u> TAXON <u>WHOOPING CRANE</u> YEAR 1994
Egg Clutch Mo-Day No. No. Laid 1 1 3/14 2 1 3/17	Length Hid. Mass. 102.2 61.5 212.4 106.0 60.9 218.3 103.8 63.1 225.4 Clinic Cage Attending Clinis Student Fluids: Type to Adminis	SIF Positi	None	02- 21_115.4_94019_HR_ - 	Loc. Fig. Mo-Day Comments
	Amikacin 0 Piperacillin 2 Special Procedu	irgery, post-op care	Over left vent	acture. Bruising found tral thorax.	
	Date Time Body Mt. 5.75	Date 9/18 6.0 Pertinent His 6.0 GENERAL Body Conditio Attitude/Conf EXAMINATION Head: Eyes Lyeli Cere Nares Thorax: Stern Auscul Respii Abdomen: Palpat Vent Limbs: Wings Legs Feet Nails Integument: Sk Feathe SAMPLES AND TR Blood: Amount EDTA Feces: Pen or Treatments: In EXTERNATION Feces: Pen or Treatment: Stern Other Took CLINICAL PATHOL	Radiographed AP Lured 37d & 4th Lured 37d & 4th Lured 37d & 4th PH Year 1994 tory In Index (8CI) 3 Ormation/Posture ds e/Mouth Respiratory tation ation ion Scrape on R hock in rs EATMENTS 8 ml, Site: ml, Heparin Individual, Colternal Parasites al Parasites al Parasites ternal Parasites al Parasites collected for seventice blood for seventice .0GY rit 42 % Tota	OK OK OK OK OK (anterior): sprayed wince of the control of th	dississippi Sandhill Crane 13-94086 15

and hatchability be evaluated from this form, but any aberrance in progeny survival is also apparent. This form is prepared throughout the breeding season in conjunction with the Egg Cards (A), Egg Logs (HH), and Sire/Dam AI Records (G), and is filed by year, taxon, and ID.

- I. NECROPSY RECORD. On this form, record details of the post-mortem examination and histopathological tests. IC's provide: location and time of death, weight, general body condition, a brief medical history, anatomical abnormalities, and name of performing pathologist. The form lists tissues and other materials retained, carcass deposition, information on diagnosis, and, where possible, cause of death. We recommend the tabular separation of the most frequent causes of death for ease in data extraction. This form is filed by taxon and ID. A copy may also be placed in the Mortality File in the Individual File.
- **J. MEDICAL RECORD.** For chicks, the Hand-reared (B) or Parent-reared Chick: Daily Log (C) serves as a

- medical record. For a fledged bird, a separate Medical Record (Fig. 10.5) is created when the bird first shows clinical signs requiring veterinarian care. Medical Records include treatment instructions, a summary of treatments, and personnel involved in patient care as well as a description of the injury or disease. File by taxon and ID, with live bird records filed separately from dead. Copies of the Medical Record of dead birds are included in the Mortality File, which becomes part of the Individual File, and also with other medical records.
- K. Physical Examination Record. In the fall of the year, each bird is given a physical examination (annual health check). This record (Fig. 10.5) is filed by taxon and ID for living birds, and like other medical records of dead birds, it is placed in the Mortality File in the Individual File.
- **L. Individual Record.** The Individual Record (Fig. 10.6) provides an overview of the life of an individual crane as well as an index to all other

Hatch date <u>06/02/71</u> Date of acquisition <u>05/18</u> Age on acquisition <u>Egg</u>				Name <u>Mrs</u> Taxon Wi	71001 s. C. hooping Crane ale ehay. Date <u>5/73</u>
Origin WBNP (Klewi 1)				Dam ID	Wild Wild Ds
TRANSACTION RECORD: Transaction Former Owner Date					Transaction Type
INCUBATION METHOD:					-
	y <u>pe:</u> Suitcase Petersime			Dates 5/17 5/ 5/18 6/	/18 /02
FOSTER PARENT INCUB:	ocation/IO'	<u>\$</u>		<u>Dates</u>	
Type REARING METHOD: Hand	Age of		Foste (Spec	r Parents ies and ID)	
FLEDGE DATE (70 Days) 08	3/12/71				
FLIGHT RESTRAINT METHODS	<u>Type</u> <u>Tenotom</u>	· <u> </u>	Date 08	3/15/71	
POST FLEDGING LOCATION ar Pen No. Dates Pen BYP 1 09/10/71	nd MATE No.	Dates an	d Mate ID	1	
BYP 1 09/10/71 G1/2 10/15/76 G1/ B17/18 11/10/85 B17	72 7/18	11/10/8	5 02-640 5 02-640	01	
MAJOR MEDICAL PROBLEMS: [)ate	Туре			
PHYSCIAL ABNORMALITIES Te	enotomized]	eft wing			
- 1					

Year		Fr	qs		F.	ertility	Hat	ched		No. Fl	hanha
	Total	No.	No.			(F/F+I)	No.	(%))	(> 70	days
1980		fert.	infert.			(%)			No	•	(%)
1981		-1-		1	2/4	50.0%	- †	50	0% 0 0% 1		0% 100%
1982	6	4	<u> </u>	1	4/5	80.0%	2	50	0% 1		50%
1983 1984	<u>6</u> _	<u> 5</u>	0	-1-0	5/5 5/5	100.0%	3 4	- 60	0% <u>1</u> 0% 3		33.3% 75%
1307					3/3	100.0%		- 00	7/6 -3		13/6
SEMEN	PRODUC	CTION S	SUMMARY	IF AI M	ALE						
Year	No. at	tempte	l No. s	amples	No.go	od Date of	Date	of	No.of	days	Averag
	collec	ctions	coll	ectea	sampi	es 1st sam	np last	samp	semen	prod	volum
_											
			-								
—											
:										:	
										:	
	-										
ID OF	PROGE	łγ:		,		_,	,		_, _		_,
		_		,					_,		_
	DUCTIVE	HISTO	DRY IF N	ATURALL	Y BREE	DING MALE					
REPRO						Fe	wtilit.	, ц.	tchod	No E	lodgod
	Mata	0							LCHeu	(> 70	days)
REPRO Year	Mate	Tot	al No.	No	. 1	No.	(F/F+I)		(%)		
	Mate 1	Tot	al No. Id Fert	No	. 1	No. Unknown Ra	(F/F+I)		(%)	Ratio	(%)
	Mate 1	Tot	al No. id Fert	No	. 1	No.	(F/F+I)		_(%)	Ratio	(%)
	Mate	Tot	al No. Id Fert	No	. 1	No.	(F/F+I)		(%)	Ratio	(%)
	Mate 1	Tot	ial No.	No	. 1	No.	(F/F+I)		(%)	Ratio	(%)
	Mate 1	Tot	al No.	No	. 1	No.	(F/F+I)			Ratio	(%)
	Mate 1	Tot	ld Fert	No	. 1	No.	(F/F+I)			Ratio	(%)
	Mate 1	Tot	ial No.	No	. 1	No.	(F/F+I)			Ratio	(%)
	Mate 1	Tot	ial No.	No	. 1	No.	(F/F+I)			Ratio	(%)
	Mate 1	Tot	al No.	No	. 1	No.	(F/F+I)		(%)	Ratio	(%)
	Mate 1	Tot	tal No.	No	. 1	No.	(F/F+I)			Ratio	(%)
Year		Tot	ial No.	No	. 1	No.	(F/F+I)			Ratio	(%)
Year		Tot La*	id Fert	No ile In	fert.	No.	(F/F+I) tio (%			Ratio	
Year DEATH		Tot Lat	id Fert	No In	fert.	No. Jinknown Ra	(F/F+I) tio (%			Ratio	

Fig. 10.6. Individual Record, Form L.

records where this bird appears as an individual. Details of various phases of the crane's life are kept on more specific records (discussed later). This and several other records are filed by taxon and ID in the Individual File. Separate files are maintained for dead or dispersed birds.

Daily Working Records

Daily logs or reports are useful for immediate communication between staff and to temporarily record information while working at sites remote from the records room. At ICF, a daily log is used year round and supplemented with a chick report during the breeding season. At Patuxent, the following daily work records are used.

M. Daily Log. Animal caretakers make a preliminary record of husbandry activities in the Daily Log. Thereafter, many details (such as pen-to-pen moves, unusual behavioral observations, and injuries or illnesses) are transferred to the Individual Log (R) or specific record sheets, but the Daily Log from each year is retained and filed chronologically. This is the only record of many routine activities.

N. Incubator/Hatcher Daily Record. This form (Fig. 10.7) provides a log of mechanical incubator and hatcher temperature and humidity conditions. Typically, readings are taken 2-4 times per day. These reports are filed chronologically and by machine number.

O. NATALITY SHEET. This form (Fig. 10.7), a chronological list of all natalities, is used to assign ID numbers to chicks at hatching time. Entries are made manually as each chick hatches and the form can be generated by computer from Sire/Dam Reproductive Records. Filing is by year with the Egg Cards (A) or chick hatching records.

P. Parent-Reared Chicks: Daily Check Sheet. One copy of this form (Fig. 10.7) is used each day as the chick care teams travel through the colony to examine and/or provide medical treatments to all chicks being reared by crane pairs. After the tour through the collection, the information for each chick is transferred to the appropriate Parent-Reared Chick: Daily Log (C). Thereafter, a Daily Check Sheet is prepared for the next day by transferring information from the previous day's Daily Check Sheet and the examination/medication schedule on the Parent-Reared Chick: Daily Log (C). These forms are filed chronologically by year.

Q. Breeding Pairs: Daily Check Sheet (Walk Through Sheet). This check sheet (Fig. 10.8) is prepared daily for the caretaker to use while walking through the crane colony to inspect each pair, record nest condition, determine the number of eggs or chicks, and to evaluate nest attendance and other adult behavior. One copy of the form is sufficient for 70 pairs. At the end of the day, information on egg and chick numbers is transferred to the form for the following day. This form is used in planning egg moves and in rating each pair's incubation and rearing performance at the end of the breeding season.

R. Individual Log. A running log of events, from fledging to death, pertaining to the individual is kept on this form (Fig. 10.8). The information is later transferred to more specific records such as Individual Record (L), Pair History: Behavior (D), and Medical Record (J). This log is filed in the Individual File.

S. Veterinary Logs. Three log books provide a chronological record of veterinary activities. First, for each mortality, the Necropsy Log includes postmortem findings, samples (cultures and other materials), fate of carcass, and diagnosis. Second, the Radiology Log indexes the radiograph files, and third, the Laboratory Log reports detailed results of microbial cultures, fecal examinations, blood tests, etc. Filing is chronological by year for each log.

T. Accession Book. The Accession Book (Fig. 10.8) is the most fundamental record kept for an animal colony. Akin to the specimen catalog for a museum, it is a cumulative log of all cranes that have been or are a part of the collection. Various taxa can be logged in different books, or more commonly, all are logged in the same book, chronologically, according to arrival date or hatching or fledging date (for chicks originating at the facility). All birds that reach fledging age are included, but chicks that die before fledging may or may not be included. Birds that are owned by the institution but housed elsewhere are also included. Accession book records can be easily maintained on ARKS III.

	INCUBATOR/	HATCHER RECO	ORD: YEAR	1993													
Machine name: <u>Pet</u>	ersime B			·								<u> </u>					
Set at <u>99.5</u> °F			bulb.														
Date Time C	ory Bulb Wet Bulb (F) (F)	Tray Position		C	omme	nts					1	nit -					
3/18 1510 3/19 0800	99.7 85 99.3 86.5	Down (leaned/f	umigat	ed					_		KB KB					
3/20 0900	99.5 88	Up (pened ve	nt sli	ght)	У				_	_	KB			1		
3/21 1630 0815 1530			NATALIT	Y SHEE	T: Y	EAR_19	91			_							
3/22 0825 1530	Hatch Order Taxon	· ID	Origin			earing ethods		atio	ons	ı	C	omments					
3/23 0800 1540 3/24 0820		05-91001	Y44 #1			HR		CB_				7/13					
3/25 0900	2 FSHC	05-91002	Y44 #2	3/2	26	HR	C	СВ									
3/26 1630 - 1730	3 FSHC	05-91003	R12_#1		29	HR		СВ	_								
3/27 1700 0835	4 FSHC	05-91004	•												•		
3/28 1515 0800 1535	_5_FSHC_	05-91005				P	AREN	T-RI	EAR	ED C	HI	CKS:DAILY	CHECK	SHEET: YEA		-	
3/29 0820 1600	6 WC	02-91006	ļ ,—,		,,						7				Date	05/18/94	
3/30 0750 1540	7 MSHC 8 MSHC	03-91007 03-91008					P. E	a	G	I I v	P	reatments					
3/31 0715 1510	9 MSHC	03-91009	Pen	Chick Tx-ID	Age (d)	Wt. (g)	x	е	n	0	n	Other Treat.	Fecal Exam			Comments	
4/1 0725 1530 4/2 0700	10 WC	02-91010	_				m		*	*	*				·· -		
4/2 0700 1610 4/3 0815	11 MSHC	03-91011	R35	03035 03067	3	X 120	χ̈	χ̈́	Χу			1.5ccFl		110g day	2. check	ed hydration; ok n R eye,grass; ok	_
4/4 0900	12 WC	02-91012	R31	05050 05064 03058	12 3 5	X 300 X 128	X	X			Χу		X	205g day 120g day	9.eyewasi 2	n R eye.grass; ok	_
4/5 0845	13 FSHC	05-91013	R25	05053 03057	9	X 290 X 150	X	X X Y		Y				190g day 110g day			_
4/6 1510 0800	14 FSHC	05-91014	R17	03071 03036	1 19	X 110	Χ.	X X	X			1.5ccFl		110g day			_
4/7 1645 0810	15 GSHC	04-91015	B11	02054	8			х				•		ok			_
4/8 1550 0755 1530	16 WC	02-91016	B22	02051 05048	11	X 330 X 740	-Ŷ	X X			X		X	ok 230g day	9		_
4/9 0800	17 GSHC	04-91017	B041	05038 04047 05050	12	X 470 X 300	Х	X X X	=		X X		X no X no	300g day	9	.h 1	_
	18 GSHC	04-91018 03-91019		03060		X 135	X		7	7				PE ok		wt. loss, hairy	_
	19 MSHC 20 GSHC	03-91019		03068	3	X 120	Χ		x			1.5ccF1		R hock 115g day			_
	21 MSHC	03-91021	G01	03065	3	X 120	X	X		\exists				110g day	2; check	vent; clean, on, 1.5ccFl	_
	22 GSHC	04-91022		03062	4			χ.		4							_
	23 FSHC	05-91023	Y25	03055	8 0 4		Χ		X	_	Y	1.5ccFl AmPipBid		95g on de	y 3. 200	tube food	_
	24 MSHC	03-91024				. ,,			\exists	7		tube fd fluids		339 011 G	y 3, 200	tube 1000	-
	25 GSHC	04-91025	Y07 L	03061 05049	12	X 460	X	XX		\exists	χ		X	370g day	10		_
			Y05	03066	3	X 110	Х	X		1				100g day	2		_
			Y24 (03055	4	X 95		1	\exists	1		AmPipBid 2ccTF					-
								_	7		4	2ccF1					_
					_		\exists	-	7	\dashv	\exists						_
					\exists						7						-
					\equiv			1	\exists	\exists	\exists						-
			 Second	Fic U-	44.55	tion I			<u> </u>								_
			Spec11	iic me	u i Că	LIUN I	ustr	uCT	100	s:							

Fig. 10.7. Some daily working records, Forms N-P.




Fig. 10.8. Additional daily working records, Forms Q, R, and T.

Summary Records

These records provide an overview of the colony and facilitate long-term management of a crane flock. All collections should have a system that, at least annually, summarizes flock size, acquisitions (births and transfers in), and dispositions (or depositions, i.e., deaths and transfers out). Patuxent uses the following records.

REPORT). For each taxon, an automated Specimen Inventory (Fig. 10.9) is updated and prepared monthly. Individual birds of a taxon are listed by ID number, except for paired females who are listed immediately after their mates. A copy of this inventory is carried by caretakers when returning birds to pens and when locating an individual in the colony.

A second automated version of this data, the Pen

U. Specimen/Pen Inventory (Monthly

<u>ID</u>	TAG	NAME		IMEN INVE		DATE/ REAR		March 1		COMMENT	\$	Page1
	84001 - 85007 8595	TEN -	1984 1985	PWRC UR		PR HR	M F	FW FW	B-01 B-01	NEEDS M	ETAL BAND	
	84002 - 87043 87043	PIRATE -	1984 1987	WBNP K-4 WBNP SK-3		PR Pr	M F	FW FW	B-03 B-03	-		
	88058 88058 88051 -	- Tarzan	1988 1988	WBNP K-6 WBNP SK-4		HR Pr	M F	FW FW	B-05 B-05	• •		
	89035 89035 91066 -	DAMIEN	1989 1991	PWRC B12 WBNP #12		HR HR	M F	BW BW	B-07 B-07	:		
	88022 - 83001 8335	C.J. CLIP	1988 1983	PWRC B18 PWRC UL #		PR HR	M F	FW FW	B-10 B-10	-		
	86027 86027 85002 8591	ALTA Lazarus	1986 1985	WBNP ALTA PWRC UL #		HR HR	M F	FW Amp	B-12 B-12	MISS'G	TIP RT WNO	G/PR DAY 0-10
02 02 02 02	Week <u>12/19 -</u>		Year <u>1994</u>	OTALS AND	PRODUC	TION U	JPDAT	•				:
02 02	TAXON	Living Stock <1 yr	Living Stock >I yr	Prod. Pairs	No. Eggs	No. Hatc		Mort. This Wk <1 yr	Mort. This Wk >1 yr	Mort. This Yr <1 yr	Mort. This Yr >1 yr	ING
02 02	Florida SHC Greater SHC Miss SHC Whooping C	8 29	122 82 26 40	36 26 16 9	171 92 66 48	39 13 39 21		0 0 0	0 0 0	24 5 10 5	4 8 2 1	

Fig. 10.9. Two summary records, Forms U and V.

Inventory, is indexed by pen complex and pen number, with individuals in the same pen listed numerically by ID, or with paired females listed immediately after their mates. This is the version used each day while the caretaker walks through the colony to check that each bird is in the appropriate pen.

A copy of each monthly update is placed chronologically in the archives to act as a historical description of the colony. ARKS III provides its own Specimen Inventory as a report.

V. FLOCK TOTALS AND PRODUCTION UPDATE (WEEKLY REPORT). A weekly summary of flock size is prepared by balancing natality and acquisitions with mortality and departures. This report (Fig. 10.9) provides a summary for internal review and for informing cooperators of recent changes in captive colonies. The Weekly Report is our most useful document for reviewing egg production and chick survival during the breeding season. Weekly reports are filed chronologically.

W. Propagation, Immigration, Emigration and Population Tabulation (Giant Table). The demography of a taxon within the colony is summarized for its entire history in the Giant Table (Fig. 10.10). Row headings are years. In our version, nearly 60 columns are divided into 7 major column groups. This table is updated at the end of each breeding season and is our most useful document for quickly summarizing demographic trends for each taxon within the colony.

X. Annual Production Summary. This report (Fig. 10.11), prepared at the end of the breeding season, provides an annual summary of egg and chick production for each dam, whereas colony summaries are provided in W, above. This report combines all of the information from the individual Dam Reproduction Records (H) and Egg Cards (A). Filing is by taxon and year with the Sire/Dam Reproductive Records (H).

	often egbelii iliN	· · · 582.0								
>	inemeq goirlatelf FM		,							
Production Through Natural Fertility	oùst BoldoùsH TM	2/3 6/8 11/11 17/23								
tura	MF Fertility percent	1.08587		-						
gh Na	MF Fertility ratio	0/4 3/6 11/19 23/30	ø			22 ICF - 2 to Calgary 6 FWs Calgary 14 FW Tx				
Throu	NF Eggs unknown ferbility	1 , 0 0 0 0	Eggs and Chicks Sent Outside	(Y cranes sent out	f vellA	22 ICF - 2 to Ca 6 FW6 C				
iction	əlihəhri eggə 7M	. , 40000	Sent	fuo ines (Chicks	.				
Produ	NF Eggs ferüle	c m w = %	hicks	anemed flottert agg	e mes	,,				
	NF Eggs potentially fertile	4 5 6 8 8	and C	olim richeri agg	e ines					
	MF Layers	8991	Eggs	suo ana sont	NE E8					
	enisq ∃M	44001		प्रेगल इस्त	883 IA	000000				
••••	Instance beginel? IA	\$ 8 K 8 8 5 K	••••	YH nedie beviecen a	Cranes					
	otom begbal IA	5832843		eyab OV ≤ b'oen a	Chicks					
tion	mecheq galifotisH IA	228888	_	chicke fledged	b'seR	, , ,			Poo A	
emina	otten gnirtoteH IA	6238833 438833	(OUT	ayab 07 > b'oen	CUPEK	. ,		Comments	Not Incl is 1 fart. Canadian SHC 2 embryos in WB aggs DOA	
al Ins	Ai Ferdility percent	8888858	urces	meaned appentage	Piec'd	. 456.68			e) fa 1 fa ayos in i	
Production Through Artificial Insemination	olisi yilibis 1 🖊	24 22 22 22 22 22 22 22 22 22 22 22 22 2	and Chicks From Outside Sources (OUT)	omn egben agge	Нест	8/8 8/8 8/8 8/8 8/8 8/8 8/18/1	Ø			
y dgno	yilihet nwoninu sgg∃ lA	0NN	Outsi	элеспед повый ерде		중충 ' R 등 약 '	End Flock Totals	Хөөгз	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
n Thr	elihekni agg3 IA	N4-N-O-	From	olisn hatich ratio	b'seR	8/8 8/8 - 6/41 1/2:1	Flock	Total	#885#BB	
ductio	elihet egga IA	တည္းမာလက္ က	hicks	inecreq yilimei agge	Pect	_중 ૹ ' ૹ _중 동 '	r End	wher hatch year	P888824	
Ā	Al Eggs potentially fertile	5578778		other Vallaties and a	Paerd	9/8 7/13 11/12 9/8 16/16	: Year	ниси же.	90000555	
	meyad iA	40000000	Eggs	Андие, имощил р.эе	u #66 3	æα14-01	5	Sum. Redge percent	72 25 25 28 28 28	
	zisq iA	დ►თთთო		eliheini b'oe	n agg il	0000.	ing Ol	olisn egbeit .muS	10/15 3/4 2/5 15/18 24/30 19/21	
	guatary	ω ν 4 ν 10 40 40		edite) b'oo	#883 i	ar.‡a9,	grad	Sum hadching percent	2688826	
Adult Totals	eny è s solume?	8417788	••••	panjaoa	u 188 9	5 200000	Summary: Excluding OUT	Sum. helching ratio	15/16 15/20 4/5 5/9 19/20 30/32 21/29	
Adult	Semen prod. qual.		<u>σ</u> :	HN & IA\notherbord gg	ja .b.T	表 12 12 13 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	ᄪ	Sum, ferdiffy percent	8 E 2 2 2 2 5 E	
•	81√ € ≤ 39 (9)/\	4000040	0.E	uogonpoid 86e	nertico.	N989-00	ಥ	Sum ferdifity ratio	870 1478 570 9714 11/21 16/24 28/37	
••••	•••••	89 89 89 89 89 89 89 89 89 89 89 89 89 8	••••	•••••		1989 1980 1982 1982 1982 1983	••••	, dema	1986 11890 11891 1982 1982 1983	Ì
	Years	2 2 2 2 2 2 2 2			S189Y	E & E & E & E & E		新89 人	2222000	

. . 2222

Fig. 10.10. Propagation, Immigration, Emigration, and Population Tabulation (Giant Table): Patuxent Whooping Crane data, Form W.

								1994				N REPORT						10/07/94
Dam ID	Origin	Eaa	i	Laid	F	ert .	AI H	atch		wHOOPII ire ID	NG CRAN Chio	ek ID	Rear	RearLoc	: Fla	Comment		
02-85007 02-85007 02-85007 02-85007 02-85007	B-02 B-02 B-02 B-02 B-02 B-02	01 02 03 04 05	0	03/30/9 04/04/9 04/05/9 04/11/9 04/14/9	4 4 4 4	U F/ED F F I	N N N 05,	 /03/94 /10/94	0:	2-84001 2-84001 2-84001	02-9	 94041 94054	 H P	CCB B-11	•	3/30 Brok 	(en	
02-87043 02-87043 02-87043 02-87043 02-87043	B-04 B-04 B-04 B-04 B-04	01 02 03 04 05	0	03/17/9 03/21/9 03/26/9 04/09/9 04/11/9	4 4 4	U F F/LD F	N .	 /20/94 /08/94 	02	 2-84002 2-84002 2-84002	?	-94018 -94052	H H	CCB	(+) (+)		ken	
02-83001 02-83001 02-83001 02-83001	B-09 B-09 B-09 B-09	01 02 03 04	0	03/30/9 04/04/9 05/03/9 05/03/9	4 4	U V F/LD U	N N N		(02-8802 	22					3/30 Br 4/04 Br 5/03 Br	oken	
02-85002 02-85002 02-85002 02-85002 02-85002	B-11 B-11 B-11 B-11 B-11	01 02 03 04 05	0	03/14/9 03/17/9 03/22/9 03/29/9 04/01/9	4 4 4 4	I F/LD F I I	N N	 /21/94 	(02-8602 02-8602 	27 (02-94019 	H	CCB	(+)			
02-85002 02-85002 02-85002	B-11 B-11 B-11	06 07 08	0)4/05/9)4/09/9)4/13/9	4	F I F/LD	N 05, N N	/04/94 		02-8602 02-8602)2-94045 	H 	CCB	(+) 	 5/09 Em	ıbryo p	oulled from egg
02-83004 02-83004 02-83004 02-83004	B-13 B-13 B-13 B-13	ļi	No.	Taxon	Loc	ID		Htch		Death		1987 Deposit		ause of	Death	1		caretaker
02-87042 02-87042 02-87042 02-87042 02-87042 02-87042	B-15 B-15 B-15 B-15 B-15 B-15	-		FSHC MSHC FSHC	R11 G15 CPF -02	03- <u>87064</u> 05-	R12 #4 G02 #6 Y43 #2	1987	<u>u</u>	09/20	87216 87217 87221	Incin. Butler Bldg. Incin.	slee Foun slee	d dead ping po: d dead ping po: d dead	sitior in per sitior	n in		ormed legs iated legs
02-71001 02-71001 02-71001	B-18 B-18 B-18	-	<u>4</u> 5 6	FSHC	<u> 1P4</u>	05- 87032 05- 87018 05- 87021	Y32 #3 R42 #4 Rock#4	1987	U	09/24	87222 87224 87226	Incin. Incin. Incin.	Foun	d dead	in per	nydration 1		oned; Scoliosis liosis; resp
		-		WC FSHC	B01 CPF -02 Y11	02- 67001 05- 84035 04-	WBNPS2 R13 #1 GL14C	1967 1984	_ <u>M</u> _F	09/25 09/25	87225 87228 87227	Butler Bldg. Incin. Incin.	Foun	d dead	in per	1		
			10 11	WC FSHC	B16 CPF -02	02- 83009 05- 80004 02-	Col- orado Rock#3	1983 1980	<u>M</u>	09/25 09/26	87229 87230	Butler Bldg. Incin. Butler	Died		pital			
			13	FSHC	-02	05- <u>84036</u> 04-	UL #1 R08 #1	1984	U	09/27	87233		Foun	d dead	in per	1		
		-		GSHC GSHC		87040 04 - 50004	GL6 GLNWR	1987 1987		1	87234 87235					oroke neck nydrated	<u>k</u> 	
		-		FSHC GSHC		05- 82037 04- 50001	R04 #3	1982 1987			87242 87244	Incin.	Died afte		omplic ating	tube food		
				FSHC GSHC		05 <u>87006</u> 04- <u>85021</u>	R44 #3		l		87248 87250	Incin.	<u>ter</u> Dete	<u>contami</u> riorate	nated d phys	sically at feed stud sically at feed stud	<u>dγ</u> f-	
·		-	21	FSHC	<u>R39</u>	05- 87054 05-	R42 #4	1987	U	11/04	87262	Incin.		re pneu		l study	_	
				<u>FSHC</u> <u>GSHC</u>		85047 04- 85027 05-	R24 #4	1			87269 87270	Incin.		aminate				
				FSHC GSHC	<u>CCB</u> <u>QP2</u>	85038 04- 50002	R18 #2		<u>U</u> M		87263 87287	Incin.		aminate ma d		d study ated lft	<u> —</u> <u>le</u> q	
						03- 87065	MSCNWR Weber		U		97290	Butler Bldg.	Trau	ma f	ound o	dead in po	<u>en</u>	

Fig. 10.11. Two summary records, Forms X and AA.

Y. GENEALOGICAL SUMMARY. The genealogical records for each crane taxon are derived from Sire/Dam Reproductive Records and AI Records. An ancestral chart, similar to that used for humans and available from regional genealogical societies, is useful as a visual aid. This and other genealogical records for each individual bird are filed within the Individual File. Genealogical summaries can be produced by SPARKS software. Genealogical records, kept for all known captive individuals of a species in a studbook (e.g., Sheppard 1985 and Chapter 9), frequently include inbreeding coefficients.

Z. Semen Bank Inventory. This inventory system consists of a running log of samples entering the semen bank and a semen inventory file wherein all samples from an individual male are listed as they enter the bank. Detailed records on the handling of each sample (see Chapter 11B) are also made, but the essential details of semen quality, volume, cane number, location, and source are recorded on the inventory sheet for each donor. A separate record is also maintained for each cryopreservation tank. Column headings are taxon, ID, pen, date the sample was frozen, volume, location in tank, and comments.

MORTALITY FILE. Whenever a mortality occurs, the Mortality Summary (AA) is updated, and the Necropsy Record (I), Medical Record (J), Physical Examination Records (K), and all records in the Individual File are transferred to a Mortality File. Mortality Files are filed by year.

AA. Mortality Summary. Crane mortality is tabulated chronologically from the Necropsy Records and the Necropsy Log (one of the Veterinary Logs). At the beginning of each year, a new record is begun (Fig 10.11). Filing is by year. ARKS III can generate an inventory of all deceased birds.

BB. Carcass Inventory. A running list is kept of all carcasses by taxon. In addition, a tag, including death date, ID, and cause of death, is attached to each carcass. The Carcass Inventory includes data from the specimen tag, plus storage site, final deposition site, and necropsy number. This report is kept in the permanent files, however, for ease in data entry, a copy can be kept at the carcass storage site.

CC. SHIPMENT REPORT. This is a running list of birds sent to or received from other institutions. Because it duplicates entries in the Accession Book (T), it may be unnecessary to keep this record (especially if the Accession Book is automated in ARKS III or otherwise). Column headings indicate date sent, taxon, ID's, recipient, and purpose of transfer.

DD. VETERINARY CARE SUMMARY. From the records listed in the "medical" and "mortality" columns in Fig. 10.1, a Veterinary Care Summary can be prepared annually. Included are totals by sex and age class for surgical, diagnostic, and radiographic procedures, and for medications used. This provides an overview of significant medical activities for the year and can be used to identify trends and make recommendations for improved collection management. The MedARKS system also creates summary records sorted by time period, taxon, procedure, or problem, and is retrieved by key words.

Planning Records and Visual Aids

Wall-mounted charts or diagrams are useful in work areas to provide current information for management decisions. Patuxent has found the following visual aids useful. In addition to Patuxent's forms, ICF uses erasable boards or bulletin boards to display maps (of bird, pen, and egg locations), examination and treatment schedules for chicks, and a list of ongoing medical cases.

EE. Annual Time Line. This display board (Fig. 2.2) is a valuable aid in planning activities that occur for only a portion of the calendar year. By using different colors for the horizontal bars for each taxon, it is possible to display scheduled events for several taxa on one time line.

FF. Egg Laying Interval Record. The duration and timing of the egg laying period for each year and the intervals between eggs are summarized for each female in this report (Fig. 10.12). The timing of egg removal, important in assessing maximum productivity, should be indicated for each egg on the form (see Chapter 3). This form is filed by taxon, ID, and year.

GG. Egg Card Board. On this display board, each pen containing a pair of cranes, and each single but potentially productive female, is given a label. There are also separate labels on the board for each mechanical incubator. As eggs are laid, introduced, or removed, the Egg Cards (A) are affixed beneath the appropriate labels on the Egg Card Board. This board provides a quick update on the location of each egg in the breeding colony and each incubator. In conjunction with the Egg and Chick Board (MM), this board serves as one of the most useful visual aids in planning egg moves and other aspects of incubation.

				EGG	LAYING 1	INTER	/AL RI	ECORD							
											TAXOI	N <u>Who</u>	oping 71001	Cran	<u>e</u>
	Year	Total Eggs	Season Length	Last Egg	Date 1st Egg	2	3	Days 4	betwe	een E	ggs No	os. 1 8	- 11 9	10	11
-	1979				30 May				<u> </u>	<u></u>		<u></u>			<u></u>
.	1980						_==		<u></u>	<u></u>		<u></u>	<u> </u> -		<u></u>
-	1981	5	31 days	11 June	_16 May	_2_	9	_2_	13		<u></u>	<u></u>	<u></u>	<u></u>	<u> </u>
.	1982	_7_	34 days	<u> 18 May</u>	4 Apr	_2_	_8_	_3_	_6_	_4_	_8_	<u></u>	<u></u>	_==_	<u></u>
-	1983	_8_	42 days	14 May	2 Apr	_2_	_14_		4	_9_	3_	<u></u>	<u></u>	<u></u>	<u></u>
.	1984	10	50 days	27 May	7 Apr	_3_	_8_	_4_	_6_		4	8_	_5_	5_	<u></u>
.	1985	6	45 days	21 May	6 Apr	_2_	10	19	_3_	_11_	_=_			_==_	<u> </u>
.	1986					<u></u>			<u></u>						<u></u>
	1987	1_			8 Apr				<u></u> -	<u></u>	<u></u>	<u></u>			<u></u>
	1988	_3_	22 days	20 Apr	29 Mar	_3_	19						_==		<u></u>
_	1989	_7_	52 days	26 Apr	15 Mar	_3_	_14_	_2_	12	3_	_8_		<u></u>		<u></u>
	1990	_4_	39 days	25 Apr	<u> 17 Mar</u>	14	13	12	<u></u>		<u></u>		<u></u>		<u></u>
	1991	_7_	43 days	27 Apr	15 Mar	_4_	10	_3_	9	12	5_			<u></u>	<u></u>
	1992	_6_	37 days	16 Apr_	10 Mar	_3_	_9_	12	_12_	_5_	8_		<u></u>		<u></u>
	1993	5	25 days	14 Apr	<u> 20 Mar</u>	3_	_7_	13	_2						<u></u>
	1994	6	35 days	25 Apr	21 Mar	_2_	8_	_4_	_8_	13					
-															
_															
												l		l	

Fig. 10.12. Egg Laying Interval Record, Form FF.

HH. EGG Log. This record (Fig. 10.13) provides a chronological list of all eggs laid for each taxon. It is useful as a visual aid in the management of egg moves and in updating the Weekly Report (V). Data from these forms are used for productivity summaries.

II. Egg Chronology Board. This aid can be used to follow the progress of a selection of the most valuable eggs (usually the eggs of endangered taxa). Column headings are dates. Rows are individual eggs. Each egg is represented by a 30-day-long adhesive strip affixed to the board. General events in the incubation of all eggs (e.g., timing of earliest vocalizations, entry into the air cell, pipping, hatch date, and chick ID) are printed on each strip. Egg locations are written on the strip following each egg move. Using the Egg Chronology Board, a caretaker can quickly determine location and stage in development of each egg.

IJ. HATCHER BOARD.

When late-term eggs are moved from nests or artificial incubators to the hatcher, the Egg Cards (A) are affixed beneath the label for the appropriate hatcher on this display board.

KK. ARTIFICIAL Insemination (AI) PLANNING SCHEME. A detailed breeding strategy for each individual in the colony is condensed into this form (Fig. 10.13). Copies are included for easy reference in the annual field log for AI. This record provides a useful, brief description of the pair history and AI recommendations. This form is filed by taxon and year with the Sire/Dam AI Records (G).

LL. Oviposition and **Incubation Chronology** (GIANT CHECK SHEET).

This large display form depicts the chronology of egg laying and egg moves for a breeding season.

Column headings are days

beginning with the date of the first egg of the season. Rows are either dam ID or pen numbers. All females of one taxa are grouped together with the first female to lay occupying the most elevated row. Data is transcribed to this check sheet directly from the Breeding Pairs: Daily Check Sheet (Q). An underlined check mark indicates the day oviposition occurred. A check mark indicates the pair is incubating. Eggs removed or added are indicated by plus or minus signs and numbers. For example, a two egg clutch removed to encourage a pair to lay again would be indicated by a "-2" in lieu of the check for that day. This form simplifies predicting when a pair is due to recycle (re-lay). The form is also useful in planning egg moves and in recycling pairs so that the best foster parents are in the proper reproductive state to receive eggs or chicks of endangered taxa. It is helpful to have each pair's incubation performance rating next to the dam ID or pen number. Hatch date and chick ID numbers are placed at the end of

-1	1	LAY	i	Lua Lo	u. 12		L (L		i umis y		٠.		T/		HOOPING		-					
# ORIGIN	EGG	DATE	1	2	-	3	4	5	_ -	6	1		8	_\^^	<u> </u>	AI TEAM	-					
1 B-12 2 B-12	-	3/37	B12 (<1) B12 (<1)		-		1 (11) PB ()	PB (-		┪		_	- -"			-i I					
3 8-17		3/15	B17 (<1)				CH (4)	R14 (10) PI	3 (3)				_ 		N/JTN]					
4 B-17 5 B-12	2 3	3/19 3/28		l	-				EGG	L06 (CON'T): YE	AR <u>199</u>	(Right Co	lumns)		TAX	ON WHO	DOPING C	RANF	
6 B-17	3	3/29		EMBR'	O LION	DUE DATE	HAT DAT	CH	CHICK ID			RING HODS	FOS	TER Ents	COMMENT	s			·-	291.200		
7 B-12 8 B-17	- 4	3/30 4/1		<u> </u>		4/6							_ _		Died wi	ile h	tching defe	ormed				
9 B-17	5	4/10	_2_	<u> — </u> -	NDE_	4/9	ļ	- -					-	_	4/5 to	Cool I	Room; 4/8 opens	ed				
10 B-09		4/11	_3	<u>-</u> -	_	4/14	4/13		2-9100	6		HR		_	Hatched	4/14					<u> </u>	
11 B-14 12 B-12	1 5	4/11		<u> </u>	NDE_	TAXO	N <u>WHOOF</u>	ING CF		_				AI	PLANNIN	G SCHE	ME: YEAR <u>1992</u>	_				
3 B-09		4/15	<u>-6</u> -7	- <u>F</u> -	ED	PE	N I	ID I	NAME	REAL		R) H NG ND.	1st BREED	PRIOR AI	OUTCOM	AI	JUSTIFICATION	F/S	RECOM Ean Mei	MENDATIO MBERS OTHER	NS PRIORITY DONORS	UNACCEPTABLE DONORS
4 8-14	_ _2_	4/13?		E		-	- 64	02 001	CANUS	الاد	H	£	SEASON	<u> ~ </u>			Infertile		Ļ <u>"</u>	MARIE		DUNUKS
5 B-09	3	4/18		F.	ID.	<u> B1</u>	8 71	001	MRS_C	ᆘ	i A	ㅗ	1979	+	FERTIL		w/out AI Infert.w/out	JANE	BRIAN	DAN	B6(1) B20 MATE	.0-1
6 B-17 17 B-23	- 6 -	4/22	_10	<u> </u>		BZ	0 77	001	HAL HANNA SPIKE	쁘	니고	I	1982	<u>+</u>	FERTIL	<u> </u>	AI;begin AI after 1st egg	BRIAN	JANE	MARIE DAN	MATE	0-1. B18
J	_!	1 7/27	"	<u> </u>	—	_ <u>B2</u>	2 85	001			LE	E		<u> </u>	-	 - -	ON STUDY Al only if		<u> </u>			
			12	<u>-</u> -	-			055	PAX	1–1	╢╌	£		 		╢	she lays		_	MARIE	Mate, BIS	-
			<u>13</u> _14	U U	_		88	046 042	PAL		, F	F				†	Freeze semen On study	BRIAN	JANE	DAN		
			_15	IF		BI	l 83	003 I	ERNIE KATE ALTA		L E	Ē	1991	<u> </u>	UNKNOW		On study					
			16	_£_] _BI	1 85	027 002 022	ALTA LAZ. CJ	Щ	L E	▲	1990		FERTIL	1	On study					
			_17	<u></u>		_80	9 83	001	CLIP ANDRE	몓	ᄕᆝᆂ	토	1991		INFERT	-	On study Coll. from M;			MARIE		
						_B0	6 87 86	033 033	SADDLE JACK	ᆈ	BW.	ᄹ		F -	<u> </u>	┝	AI F if lavs	JANE	<u>BRIAN</u>	DAN	NATE	·
						_B0	84	062		H I	ᆙ	투		<u>-</u> F			On study		<u> </u>		l	ļ
						_B0	88	043 058 007		밀		F		<u> </u>		<u> </u>	On study		—			-
						01	/2 89 88	035 060	DAMIEN			Į.		<u> </u>		+M -F	On study Coll. from M; AI F if lavs	BRTAN	JANF	MARIE DAN	MATE	
						03	84	001	TEN Tarzan	P.		<u> </u>					On study		- THILE	Unit	- mit	
						<u> </u> _	_ _				_ _											
						 	_		·	-	- -	_			<u> </u>	_			_		ļ	
						I	_ _			_ -	-	_			ĺ							

Fig. 10.13. Some planning records and visual aids, Forms HH and KK.

the row when the pair is no longer incubating. One form is generated each year and then filed chronologically.

MM. EGG AND CHICK BOARD. Using a ferric board and magnetic labels, this visual aid displays the number and taxon of eggs or chicks each pair is incubating or rearing. As for the Egg Card Board, each breeding pen is listed. Beneath each pen label, colored circles (eggs) and squares (chicks) indicate the appropriate number and taxa for eggs and chicks attended by each pair of foster parents. This visual aid is especially useful in planning egg and chick care during the period when many pairs of foster parents are in transition from incubation to chick rearing. By contrast, during incubation, the Oviposition and Incubation Chronology (LL) and the Egg Card Board (GG) are most useful.

NN. PATIENT BOARD. This display board is maintained at the hospital with a copy in the caretaker work area. It serves as a visual aid for use in caring for hospitalized cranes. On it, treatment instructions and other records pertinent to patient care are posted.

System Use

The 40 or so forms, files, notebooks, and display boards that comprise the Patuxent system provide a broad, detailed framework for the management of the most important data for a crane colony. Not all records need to be used by every institution. For example, if, at one institution, all eggs are mechanically incubated and all chicks are hand-reared, then

those records dealing with foster parent incubation (E, Q, LL, and MM), and foster parent rearing (C, F, P, and MM) are not used. If all propagation is through naturally fertile pairs, then all records dealing with artificial insemination (G, Z, and KK) can be eliminated.

The system can also be streamlined for use in very small crane colonies. Where few breeding pairs produce few eggs, many of the visual aids and production records become unnecessary. The most fundamental records are H, R, T, U, W, and AA. Little can be omitted from this nucleus of records without sacrificing the future usefulness of the colony. Because of the value of the records, we recommend that a duplicate copy be stored in a separate building.

Without actually using the system for a breeding season, it is difficult to understand the flow of information. Table 10.1, however, provides an overview of system use. Here, appropriate system responses are portrayed for some life history events of a foster parent-reared crane. When an egg hatches, for example, it is first recorded on the Breeding Pairs: Daily Check Sheet, then the Egg Card (A) is removed from the Egg Card Board (GG), and the hatching date and ID are placed on the Natality Sheet (O), Egg Card (A), Egg Chronology Board (II), Oviposition and Incubation Chronology (LL), Egg and Chick Board (MM), Dam Reproductive Record (H), and Egg Log (HH). A change is made on the chalk board, precursor of the Weekly Report (V), an entry is made in the Accession Book (T), and a Rearing Record (C) is created. Ultimately the Pair History Records (E and F), Specimen/Pen Inventory (U), Giant Table (W) and the Genealogical Summary (Y) must also be modified. All of these changes must be made by hand in a manual system. In a computer managed relational database, however, entry of the hatching event at one level will yield appropriate responses for all other records linked in the software matrix.

Patuxent's Automated Records System

At Patuxent, we have automated much of the records system presented here. We first experimented with the ISIS/ARKS program, but noted that at that time ARKS was unable to deal with the complex management of eggs. EGGS software, adapted from Patuxent's complex manual system, is being developed to operate with ARKS III. Another limitation of ARKS was that the details of life history events of the individual went into a general database named

"Special Data" with the result that no relational manipulation was possible. Fortunately, home grown programs can be incorporated with ARKS III to perform this function (L. Bingaman Lackey, Hendersonville, North Carolina, personal communication).

One final drawback of ARKS was that Patuxent's ID numbers were incompatible to use as accession numbers, so separate accession numbers had to be assigned. ICF and most institutions have been able to use their ID numbers as the ARKS accession numbers. Because of the early inflexibility and limitations of the ISIS/ARKS system (now somewhat alleviated by the availability of MedARKS, SPARKS, and EGGS), Patuxent redesigned the manual system (Ellis et al. 1991) and began automation. Today about one-third of the IC's in the Patuxent system have been automated. There is no need to automate visual aids and many records in Figure 10.1. The records that should be automated are: Egg Card (A), Pair History: Incubation and Rearing (E,F), Sire/Dam Reproductive Record (H), Individual Record (L), Individual Log (R), Natality Sheet (O), Accession Book (T), Specimen/Pen Inventory (U), Weekly Report (V), Annual Production Summary (X), Genealogical Summary (Y) Mortality Summary (AA), Shipment Report (CC), Egg Laying Interval Record (FF), and Egg Log (HH). The following reports can be generated from retrieving data from other records and without additional data entry: Natality Sheet (O), Accession Book (T), Species/Pen Inventory (U), Weekly Report (V), Giant Table (W), Annual Production Summary (X), Shipment Report (CC), Egg Laying Interval Record (FF), Pair History: Incubation (E), Pair History: Rearing (G), Individual Record (L), Genealogical Summary (V), Mortality Summary (AA), and Egg Log (HH).

Record Keeping

The Patuxent system consists of a complex array of records linked through limited redundancy to provide for the systematic retention and collation of the data of interest in managing a large crane collection. The manual and automated systems are so closely linked that it is possible to use all or part of either without inordinate duplication of effort. The automation process is continuing. Hard copies of the individual form sheets are available from Patuxent.

	Oviposition	Hatching	Sickness Before Fledging	DEATH BEFORE FLEDGING	Post Fledging Pen Moves	Pairing	Post Fledging Sickness	Post Fledging Death
A Egg Card	5	3						
C Parent-reared Chick: Daily Log		+	2	3				
D Pair History: Behavior						4		
G Sire/Dam AI Record	+							
H Sire/Dam Reproductive Record	+	+		+				
Necropsy Record				+				+
Medical Record			+				+	
Individual Record					4	3		+
M Daily Log					Γ	-	1	_
O Natality Sheet		2						
Parent-reared Chicks: Daily Check Sheet				2				
Breeding Pairs Daily Check Sheet	1	1		1				
Individual Log					3	2	+	+
Veterinary Logs			+	+			+	+
Accession Book		+		+				+
Specimen/Pen Inventory				+	2			+
V Weekly Report	+	+		+				+
AA Mortality Summary				+				+
HH Egg Log	+	+		+				
Egg Chronology Board	3	4						
LL Oviposition and Incubation	(,		`				
Chronology	2	5		4				
MM Egg and Chick Board	4	9		5				
NN Patient Board							+	

ICF's system is designed for relative simplicity and ability to integrate information with other institutions through ISIS/ARKS. Centralized individual files contain essentially all of an individual's records. ICF has developed a simple, computerized-text system for recording behavioral events. Important behavioral and reproductive milestones for the individual are also recorded in ARKS III. MedARKS is used for medical records, and copies are placed in the individual files. Annual summaries are produced and used for breeding objectives and reports.

Either system can be pared down for use with smaller collections or can be modified for use with other taxa. The use of such systems is essential to the long-term management of any crane colony intended for propagation or scientific research.

One final recommendation is of great importance. Although all animal care staff take and record information, each institution should designate one or two Record Keepers (or Registrars) who closely manage the entry of data into the automated system. At ICF, separate individuals handle ARKS and MedARKS records. Each Record Keeper should be fully familiar with the system, participate regularly in data entry, and serve as backup replacement in the event of loss of the other Record Keeper. However, a chief Record Keeper should oversee and control data entry to minimize errors in the data entry.

Literature Cited

- Archibald, G. W. 1976. The unison call of cranes as a useful taxonomic tool. Ph.D. dissertation, Cornell University, Ithaca, N. Y. 167 pp.
- Brown, R. A. 1975. A new records system for the New York Zoological Park. International Zoo Yearbook 15:229-235.
- Carpenter, J. W. 1977. Propagation and management of endangered species at the Patuxent Wildlife Research Center. Pages 23-33 *in* American Association of Zoo Veterinarians Annual Proceedings, Honolulu, Haw.
- Carpenter, J. W. 1986. Cranes (Order Gruiformes). Pages 316-326 in M. E. Fowler, editor. Zoo and wild animal medicine. W. B. Saunders Company, Philadelphia.
- Castleberry, M. W., E. D. Jenkins, and S. W. Thompson. 1966. Use of the electronic computer in retrieval of veterinary pathological data. American Journal of Veterinary Research 27(118):824-829.
- Committee on Laboratory Animal Records. 1979. Laboratory animal records. National Institutes of Health Administrative Document, Contract No. Noi-RR-5-2128, Washington, D.C. 67 pp.

- Ellis, D. H., S. R. Swengel, G. W. Archibald, and C. B. Kepler. 1996. A sociogram for the cranes of the world. *Under review*.
- Ellis, D. H., L. Hartman, S. G. Hereford, and J. L. McMillen. 1991. A records system for a captive crane flock. Pages 433-445 *in* J. Harris, editor. Proceedings 1987 International Crane Workshop. International Crane Foundation, Baraboo, Wis.
- Gee, G. F. 1983. Avian artificial insemination and semen preservation. Pages 375-398 in A. C. Risser, Jr. and F. S. Todd, editors. Proceedings of the 1983 Jean Delacour/IFCB Symposium on Breeding Birds in Captivity, Los Angeles, California. International Foundation for the Conservation of Birds, North Hollywood, Calif.
- Hartman, L., S. Duncan, and G. Archibald. 1987. The hatching process in cranes with recommendations for assisting abnormal chicks. Pages 387-397 in J. C. Lewis, editor.
 Proceedings 1985 Crane Workshop. Platte River Whooping Crane Habitat Maintenance Trust and U.S. Fish and Wildlife Service, Grand Island, Nebr.
- Sciabbarrasi, S. A., and W. T. London. 1974. A computerized primate information retrieval system (PIRS). Laboratory Animal Science 24:773-782.
- Seal, U. S., and D. G. Makey. 1975. Computer usage for total animal and endangered species inventory systems: a specific proposal. Pages 178-188 *in* Research in zoos and aquariums. National Academy of Sciences, Washington, D.C.
- Seal, U. S., D. G. Makey, and L. E. Murtfeldt. 1976. ISIS: an animal census system. International Zoo Yearbook 16:180-184.
- Seal, U. S., D. G. Makey, D. Bridgwater, L. Simmons, and L. Murtfeldt. 1977. ISIS: a computerized record system for the management of wild animals in captivity. International Zoo Yearbook 17:68-70.
- Sheppard, C. 1985. Genealogy of the white-naped crane (*Grus vipio*). New York Zoological Society. 50 pp.
- Systematized Nomenclature of Medicine (SNOMED). 1976, 1977. Introduction, 22 pp., 1977; Disease, 137 pp., 1976; Etiology, 117 pp., 1976; Function, 155 pp., 1976; Morphology, 171 pp., 1976; Procedure, 141 pp., 1976; Topography, 199 pp., 1976. College of American Pathologists, Chicago, Ill.

